

BRAVO SNORKEL



NISSAN NAVARA

VARIANT: D23 / NP300 (2015 - On.)

REF: SNN6

FITMENT SIDE: Right

LINEAR LOW DENSITY POLYETHYLENE RESINE



LL 8446 is a linear low density butene copolymer designed to offer excellent processability, whiteness, and fast grinding rate. This UV stabilized resin is ideally suited for applications that require excellent dimensional control and low warpage.

PROPERTIES

Additive

Long Term UV-8 Stabilizer

Density

0.936 g/cm³ (Based on ISO 1183)

Melt Index (190°/2.16 Kg)


5.0 g/10min (Based on ISO 1183)










1	Snorkel body	x1
2	Snorkel head 89 mm / 3,5"	x1
3	Black clamp 78 - 101 mm	x1
4	Bracket	x1
5	Screw M4 x 16 mm	x3
6	SEMS bolt M6 x 14 mm	x5
7	Nylon insert	x3
8	Installation template	x1
9	Bolt M8 x 25 mm	x6
10	Washer M8 x 32 mm	x8
11	Nut - nyloc M8 x 13 mm	x6
12	Inner cutting template	x1

13	Ecu support bracket	x1
14	Ecu relocation bracket	x1
15	Base support bracket	x1
16	Module relocation bracket	x1
17	Clamp 100 - 120 mm	x1
18	Rubber duct connecting	x1
19	Clamp 50 - 70 mm	x1
20	Air inlet cap	x1
21	Bolt M5 x 16 mm	x1
22	Washer M5 x 14 mm	x2
23	Nut - nyloc M5 x 8 mm	x3
24	Rivet 4,8 mm	x1

PART	DESCRIPTION	QTY
25	Hex bolt M6 x 25 mm	x4
26	Hex bolt M6 x 20 mm	x5
27	Hex bolt M6 x 16 mm	x3
28	Washer M6 x 14 mm	x24
29	Nut - nyloc M6 x 10 mm	x7
30	Right side metal bracket	x1
31	Left side metal bracket	x1
32	Upper metal bracket	x1
33	Lower metal bracket	x1
34	Rivet 4 mm	x14

PART	DESCRIPTION	QTY
35	Air box template	x1
36	Washer bottle	x1
37	Washer bottle mounting bracket	x1
38	Washer bottle support	x1
39	Washer mounting clamp	x1
40	Hex bolt M5 x 12 mm	x2
41	Washer M5 x 12 mm	x9
42	Grower washer M6 x 10 mm	x2
43	Washer M6 x 20 mm	x2





Installation process is under installer's responsibility.